



By doing so, women can focus their full

attention on the job at hand, increasing

their productivity on-site.

PROUDLY SOUTH AFRICAN
All products within the Sisi Safety
Wear range are proudly manufactured
in South Africa.

expanded its product offering into

careful consideration of the

workwear and fall arrest, through its

FOOTWEAR

SINGLE DENSITY POLYURETHANE SOLE



TOE CAP: Steel toe cap Single Density PU SOLE:

Court / 53001





Sizes: Black Colour: Shape: Narrow

SANS / ISO 20345



TOE CAP: Steel toe cap | Available in NSTC (51502) SOLE: Single Density PU





3 - 8 Sizes: Black Colour: Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0110

TOE CAP: Steel toe cap Single Density PU





Black & Colour: Brown Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0135

TOE CAP: Steel toe cap | Available in NSTC (51503) SOLE: Single Density PU

Paris / 51003





Sizes: 3 - 8 Colour: Black Shape: Standard SANS / ISO 20345 NRCS/9002/287766/0132



TOE CAP: Steel toe cap SOLE: Single Density PU

Madonna / 51004





Sizes: 3 - 8 Colour: Black with pur-

ple stitching Shape: Standard

SANS / ISO 20345 NRCS/9002/287766/0145



TOE CAP: Steel toe cap Single Density PU SOLE:

Opal / 53003





Sizes: Colour: Black or Brown Shape: Standard

SANS / ISO 20345

DUAL DENSITY POLYURETHANE SOLE



Steel toe cap TOE CAP: Dual Density PU/PU SOLE: MIDSOLE: Available in SMS (54701)





Sizes: 2 - 9 Colour: Black Shape: Standard SANS / ISO 20345



TOE CAP: Steel toe cap Dual Density PU/PU SOLE: MIDSOLE: Available in SMS (54702)

Cate / 54002





Sizes: 2 - 9 Colour: Black Shape: Standard SANS / ISO 20345



TOE CAP: Steel toe cap Dual Density PU/PU SOLE:

Basi Metaguard / 54092



Sizes: 2 - 9

Colour: Black Shape: Standard **SANS / ISO 20345**



TOE CAP: Steel toe cap Dual Density PU/PU SOLE:





Sizes: 3 - 8 Colour: Black with grey

Shape: Standard EN / ISO 20345

TOE CAP: Steel toe cap Dual Density PU/PU SOLE: MIDSOLE: Available in APT (55605)







Sizes: 3 - 8 Colour: Black with pink trim

Shape: Standard SANS / ISO 20345 NRCS/9002/287766/0153



TOE CAP: Steel toe cap Dual Density PU/PU SOLE: MIDSOLE: Available in APT (55606)







Colour: Black with pink trim

Shape: Standard SANS / ISO 20345 NRCS/9002/287766/0152

SISI WORKWEAR

65/35 POLY COTTON STANDARD CONTI SUIT

SIZE: Coat: 32-56

Pants: 28-56

WEIGHT: 235GSM



OJ12943 / OT12947





Also Available in TRI-REFLECTIVE

J54 100% COTTON REFLECTIVE CONTI SUIT

SIZE:

Coat: 32-56 Pants: 28-56

WEIGHT: 220GSM



OJ12944 / OT12948











J54 100% COTTON MATERNITY CONTI SUIT

SIZE:

COLOUR

Coat: 32-56 Pants: 28-56

WEIGHT: 220GSM

100% cotton

COLOUR



OJ13079 / OT13080









SIZE: 28-56

COLOUR

FABRIC: J54 100% COTTON

WEIGHT: 220GSM



OB12941

SABS

100%









COLOUR





CORE RANGE

STANDARD HARNESS RANGE WITH PERMANENTLY ATTACHED SHOCK ABSORBING LANYARDS AND ADJUSTABLE LEG AND ELASTICATED CHEST STRAP

Sizing One size fits all

Standards SANS 50354 | SANS 50355 SANS 50361 | SANS 50362

Webbing: 45mm UV-resistant polyester, minimum breaking load of 2,6 tonnes **Chest Strap:** 45mm UV-resistant

elastic webbing

Buckles:

Interlocking, corrosionresistant steel buckles





CODE: HARN01221



CODE: HARN01211



CODE: HARN01111

CORE+ RANGE

BELTED HARNESS RANGE WITH PERMANENTLY ATTACHED SHOCK ABSORBING LANYARDS AND ADJUSTABLE SHOULDER, LEG, WAIST AND ELASTICATED CHEST STRAP

Sizing One size fits all

Standards SANS 50354 | SANS 50355 SANS 50361 | SANS 50362 Webbing:

45mm UV-resistant polyester, minimum breaking load of 2,6 tonnes **Chest Strap:**

45mm UV-resistant elastic webbing

Buckles:

Interlocking, corrosionresistant steel buckles





CODE: HARN02221



CODE: HARN02211

FOR WOMEN, THE RISK OF INJURY DOES NOT STOP WHEN THE FALL DOES. If placed below the bust area, polyester webbing can rise aggressively up and over the bust at the end of a fall, resulting in secondary related

injuries to the wearer.



That's why all our Sisi harnesses are fitted with an ADJUSTABLE ELASTICATED CHEST STRAP that stretches in the event of a fall, substantially reducing the pressure on the bust area. Furthermore, the chest strap can be moved up and down the shoulder straps, allowing each wearer to place it in the position that is most comfortable to them without compromising on the effectiveness of the harness.















SiSi

SAFETY WEAR

A product of



40 Gillitts Road, Pinetown, 3610, KwaZulu-Natal, South Africa

This product is proudly manufactured in South Africa

info@bbfsafety.com

www.sisi.co.za





